

VILLAGE OF PECATONICA  
SWIMMING POOLS

**RESIDENTIAL SWIMMING POOLS**

Questions call: Phillip Long (815) 979-6046

This document is for information only.  
You will need to fill out a  
Building Permit Application  
Costs involved: Permit Fee and Inspection Fee

**FILLING THE POOL WITH WATER**

The pool may not be filled with water until the final inspection has been performed and approved.

**LOCATION**

- The builder/owner is responsible for location of the pool according to approved site plan, property lines, easements and setbacks.
- Call J.U.L.I.E. (1-800-892-0123) before digging for utility locations.
- Pool cannot be located over or under any utilities.
- No pool or deck may be placed within any required front, side, or corner side yards.
- The pool/deck may be located to within 6' of any lot line, subject to review by the Building Official.
- No pool shall be located in a drainage way.

**ENCLOSURES OR COVERS, WATER SUPPLY AND SANITATION**

See Village Ordinance

**ELECTRICAL**

- Electrical shall be installed underground in conduit or an approved direct burial cable and must be equipped with a G.F.C.I. (Ground Fault Circuit Interrupters).
- Electrical line must be buried 6" if in rigid metal conduit and 24" for direct burial cables or conductors.
- Underground utilities must be a minimum of 5' from inside wall of pool.
- Overhead utilities must be a minimum of 10' from inside of pool & have an 18' clearance from water level in any direction.

VILLAGE OF PECATONICA  
SWIMMING POOLS

ITEMS TO BE SUBMITTED WITH APPLICATION

- 1 copy of Site Plan showing location of pool drawn to scale with dimensions & location of fence, pool specs, & plumbing layout.
- Placement of electrical wire and hookups.
- Deck construction materials & a detailed drawing of the deck with dimensions.
- Indicate location of existing electrical service line.

INSPECTIONS

**INSPECTIONS ARE SCHEDULED FOR A.M. OR P.M.,  
ANY DAY OF THE WEEK WITH A 48-HOUR ADVANCE NOTICE.**

- Before electrical wire is buried.
- Deck and/or pool, final inspection.